Work Order ID 95039 Page 1 January-02-13 12:49:56 PM D4021-1 Accept *N900040100* Setup Start Item ID: **Revision ID:** Stop Handle Plate Item Name: Start Qty: 4.00 1/14/13 **Start Date: Cust Item ID: Req'd Qty:** 4.00 Required Date: 1/14/13 **Customer:** Reference: Run Process Plan: MLJ Date: 13-01-03 Tooling: Approvals: Date: Stop Date: SPC (Y/N): Date: Reject Sequence ID/ **Tool ID** Operation Set Up/ Tool # Plan Accept Reject Insp. Work Center ID Qty Qty -Number Stamp Description Code **Run Hours** Draw Nbr **Revision Nbr** D4021 В 100 0.00 (50 *100* 0.00 Waterjet Memo FLOW CNC Waterjet Cut as per dwg D4021 394 138 Prog Rev: Dwg Rev: Deburr as required

110

QC2-Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

5 0 Jm13-1-29

Quality Control

		DQA:	Date:	
ICR· Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE			

									QA Closed:	Date:	
Work Orde	r:				DISPOSITION			AGAINST DEF	PARTMENT	PROCESS	
Part N NCR N					Rework Scrap Use-as-is Work Order Update	4 L	Machining noforming	Crosstube Small Fab Finishing Composite		Water Jet d. Eng. Coor. e/Packaging Supplier	Engineering Quality Other
Root				Descri	iption of work order update	Initial	Actio	n	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Descrip	tion	Date	Verification	QC Inspector
Doc/Data											
Equip/Tooling											
Operator		ŀ				ļ					
Material											
Setup											,
Other	_										·
Process		İ									
Supplier									i i		
Training											
Unapproved		<u> </u>									
						AULT CATE	GORY	=.			
Landin F	ng Gear			_	General				المالية المالية	_	70,,,,,,,,,/5,,,,,,,
}	Bending	- 		o/s	Bend BOM/Route	Grain		-	Ovalized	+=laranaa	Pressure/Forced
	Centre N	ot Concei	ntric to (U/\$ -	BOM/Route	Hardw			Over/Under	<u> </u>	Temperature/Cure Weld
}	Crushod	Crimaad		-	Broken/Damaged	—	tion Incomplete	—	Part Incorred	<u> </u>	Wrong Stock Pulled
}	Crushed/ Cuffs	crimpea.		·	Burrs Contamination	—	tions Incomplete/Und enance	Clear	Part Lost/Mi Part Moved	22H1B	Twitong Stock Pulled
}	Heat Trea	nt.		-	Countersink	Mislab		-	Part Moved Positioned V	Vrong	
}	Inspectio		Tubo		Cut Too Short	Misrea		-	Positioned v		Other
}	Ripples ir	•	iune	-	Drill Holes	Offset	u	L	I OMEL FOSS	Juige	Other
}	Torque V		ytrusio	, <u> </u>	Drawing	\vdash	Calibration				
}	Turning S			`` -	Finish		Sequence				
<u> </u>	Wave/Tw			-	Folio		e Dimensions				

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Ord January-02-13				*950:	39*							Page
Item ID: Revision ID: Item Name:	D4021-1 Handle Plate			Accept	*N9000)40	100)*	Setup	Start Stop	*N: *N:	S1* S2*
Start Date: Required Date Reference:	1/14/13 : 1/14/13	Start Qty: 4.00 Req'd Qty: 4.00	*4* *4*		Cust Item ID Customer:	:			_	0		
Approvals:	Process Pla	an:	Date:	Tooling:	Date	e:			Run	Start Stop	171	R1*
	QC:		Date:	SPC (Y/N):	Dat	e:				отор	*N	R2*
Sequence ID/ Work Center	I D	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept	t Re	ject y	Reject Number	Insp. Stamp
120		QC8- Inspect parts - seco	ond check	and (0.00				10				
120 QC Quality Control		Memo		0.00 13.129	(D				
140		Identify as per dwg & St	tock Location:	A 4 0.00	0.0		. 1					
140 Packaging Packaging		Memo		0.00	ept 1	30	:4					
150		QC21- Final Inspection	- Work Order Release	0.00						\	0 -7	a.l
150 QC Quality Control		Memo		0.00					<u> M</u> .c	`_ رر	3-07	- <u>09</u> ,

M 13-02-4

											DQA:	Date:	
NCR:	Yes	/ No					WORK ORDER NON-C	100	VFOR	MANCE / UPDATE			
											QA Closed:	Date:	
Nork Ord	er:						DISPOSITION			AGAINST D	EPARTMENT	/PROCESS	
Part							Rework Scrap Use-as-is		1	Skid-tube Crosstube Machining Small Fab noforming Finishing		Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other
NCR	No.						Work Order Update			Large Fab Composite		Supplier]
Root					Des	rip	tion of work order update		nitial	Action	Sign &		
Cause		Date	Step	Qty		o	r Non-conformance	Ch	ief Eng	Description	Date	Verification	QC Inspector
oc/Data quip/Tooling perator laterial etup ther rocess upplier													
raining napproved													
	L						F/	AUL	T CATE	GORY	_L	1	1
Landi	ing (Gear					General						
		Bending			[Bend		Grain		Ovalized		Pressure/Forced
		Centre No	t Concer	ntric to (o/s [BOM/Route		Hardwa	ire	Over/Under	tolerance	Temperature/Cure
		Cracks					Broken/Damaged			ion Incomplete	Part Incorre	ct	Weld
		Crushed/0	Crimped.				Burrs		Instruct	ions Incomplete/Unclear	Part Lost/M	issing	Wrong Stock Pulled
	L	Cuffs			į		Contamination		Mainte	enance	Part Moved		
	L	Heat Trea	t		Į		Countersink		Mislabe	eled	Positioned	Wrong	_
		Inspection	n Strip in	Tube			Cut Too Short		Misread	d [Power Loss,	/Surge	Other
		Ripples in	Bend				Drill Holes		Offset				
		Torque W	aves in E	xtrusio	ו [Drawing		Out of 0	Calibration			
		Turning Se	equence				Finish		Out of 9	Sequence			

Outside Dimensions

Wave/Twist in Tube

Folio

January-02-13 12:49:55 PM

Work Order ID:

95039

Parent Item:

D4021-1

Parent Item Name:

Handle Plate

Start Date: 1/14/13

Required Date: 1/14/13

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP Rev:B as per dwg REV.A DD

IPP RevA: new issue DD 09.11.25 verified by:EC IPP Rev:B as per dwg 10.02.22 verified by:EC IPP Rev:C as per dwg revB DD 10.04.20 verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status	
M304S11GA		Purchased	No			100	sf	104.5000	0.1225	0.515789	26_		Turz-	1-29
304/316 0 125 Sheet										<u></u>			<u>UF110</u>	1.01

Location Loc Oty Loc Code 104.5 MAT020 122521 104.5 122521

			DQA:
NCR:	Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE	

									QA Closed:	Date	•
Work Orde	 r:				DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
Part N NCR N	0.				Rework Scrap Use-as-is Work Order Update	4 5	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	1	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root				Descri	ption of work order update	Initial	Act	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data											
Equip/Tooling											
Operator [ł									
Material									•		
Setup		ļ									
Other					·						
Process											
Supplier											·
Training											
Unapproved											
					F	AULT CATE	GORY				
Landin	g Gear				General					_	
	Bending				Bend	Grain			Ovalized		Pressure/Forced
	Centre No	ot Conce	ntric to	o/s	BOM/Route	Hardwa	are		Over/Under	tolerance	Temperature/Cure
Ţ	Cracks			L	Broken/Damaged	Inspect	ion Incomplete		Part Incorre	ct	Weld
	Crushed/	Crimped.			Burrs	Instruct	tions Incomplete/	Unclear	Part Lost/Mi	ssing	Wrong Stock Pulled
L	Cuffs			L	Contamination	Mainte	enance		Part Moved		
	Heat Trea	it		· _	Countersink	Mislabe	eled		Positioned V	Vrong	_
	Inspection	n Strip in	Tube		Cut Too Short	Misrea	d		Power Loss/	Surge	Other
	Ripples in	Bend			Drill Holes	Offset					
	Torque W	aves in E	xtrusio	n [_	Drawing	Out of	Calibration				
	Turning S	equence			Finish	Out of	Sequence				
	Wave/Tw	ist in Tul	oe .		Folio	Outside	e Dimensions				

Date:

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G


DART AEROSPACE LTD	Work Order:	95039
Description: Handle Plate	Part Number:	D4021-1
Inspection Dwg: D4021 Rev: B		Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
5.13	+/-0.030	5.135"	-		U	Thron
0.75	+/-0.030	10759			V	
2.25	+/-0.030	0.759	_		J	
0.75	+/-0.030	10.450	_		V	
0.125	+/-0.010	0.118	-		U	
					*	
						,
						<u> </u>
· · · · · · · · · · · · · · · · · · ·						
					· · · · · · · · · · · · · · · · · · ·	

Measured by: Tm	Audited by:	SMS	Preliminary Approval:	
Date: 13-1-29	Date: 13	-129	Date:	

Rev	Date	Change	Revised	þу	y _∧ Approved
Α	10.06.08	New Issue	KJ (\mathcal{W}	KT AL
				77	•/





95039

D

С

- 5.00 -R0.50 4 PL R0.10 0.63+0.00 45° 2 PL 0.813 R1.125 2.56 REF Ø0.194 TYP REF R1.438 - R1.75 0.63+0.00 2.500

D4021-7 HOOP

Ø0.191 — - Ø0.38 0.75

D4021-9 BUSHING

MP

DESIGN	AJS	DART AEROSPACE	ITD
DRAWN	JPH	HAWKESBURY, ONTARIO, CA	
CHECKED	10	DRAWING NO.	REV. B
MFG. APPR,	-M	D4021	SHEET 3 OF 3
APPROVED	IMP.	TITLE	SCALE
DE APPR.	4	MISC PARTS - 350 BASKET	NTS
DATE 10.0	94.06	COPYRIGHT © 2010 BY DART AEROSE THIS DOOLABLY IS PRIVATE AND CONFESSIONAL AND IS SUPPLIED ON THE DI MOT TO BE USED FOR ANY PLAYOUSE OR COPED OR COMMUNICATED TO AN WRITTEN PRESESSION (ROUBLE) PLEASURED AND THE PROPERTY.	PRESS CONDITION THAT IT IS NY OTHER PERSON WITHOUT

NOTES: 1) MATERIAL-7: 304/316 STAINLESS STEEL BAR, PER ASTM A276 REF DART SPEC M304B

-9: 304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 REF DART SPEC M304R

REF DART SPEC M304K
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT -7: 0.80 lbs
-9: 0.02 lbs

8 .

C